




AREA 7 OF TWELVE • NATURAL TIME WARP AREAS

SOUTH ATLANTIC ANOMALY

A field that is only findable while in motion.

SOUTH ATLANTIC GEOMAGNETIC MINIMUM

27.50°S, 50.50°W

BOOK II, CHAPTER s 17 and 31-33



THE REGISTRATION

The Relationship at South Atlantic Anomaly

A Field That Keeps Moving and Is Registered Anyway

The South Atlantic Anomaly is the one Area in this pool of twelve that mainstream geomagnetic science already studies, continuously and closely, for reasons that have nothing to do with this Book. It is a broad region of weakened magnetic field intensity over South America and the adjoining ocean, tracked by satellite and ground magnetometer networks because it affects spacecraft electronics passing through it. That existing attention is what makes it useful here: unlike most of the other eleven Areas, its position is not proposed by this study but supplied, epoch after epoch, by an independent scientific record this Book did not create and cannot adjust.

The declared control given here — 27.500000°S, 50.500000°W — is the published present-epoch centroid, corrected in this rebuild for source accuracy rather than carried forward as an earlier working estimate. It is entered into the same 6'/7.5' lattice test run against every other Area in this Book, frozen before the residual is calculated, with no exception made for the fact that the point it names is, by the mainstream science's own account, already in motion.

That combination is why the Anomaly belongs in this register at all: a source-consistent provenance class, historical annotation plus modern geomagnetic moving-zone control, joined to a claim this Book treats with the same discipline it applies everywhere else — state what the numbers show, including when they do not settle into the pattern a reader might hope for.

THE LAND ITSELF

The Ocean That Reads Its Own Field Weaker

The South Atlantic Anomaly sits over the ocean and continental margin between southern Brazil and the open South Atlantic, its declared control landing off the coast near the Brazil–Uruguay–Argentina region. There is no landmark to visit in the way a plateau or a lake basin can be visited; the Anomaly is a property of the planet's own magnetic field, a dip in intensity roughly a third weaker than the global average at the same latitude, generated deep in the outer core rather than at the surface it happens to pass over.

It is the best-documented moving field on Earth. Satellite missions and ground magnetometer networks have tracked its centroid drifting westward and southward across the twentieth and twenty-first centuries, its minimum field intensity declining from roughly 22,430 nanotesla in 2014 to roughly 22,094 nanotesla by 2025. Spacecraft operators plan orbits around it; the International Space Station's crew has reported instrument anomalies while passing through it. None of that mainstream attention was generated for this Book's purposes, which is exactly why it was adopted as a control here rather than set aside as unrelated.

Some things are only findable while in motion. The migrating birds that cross this same ocean each year are not following a fixed landmark; they are keeping a relationship — to season, to magnetic heading, to each other — that continues to work precisely because it never insists on a single unchanging position. The Anomaly tracked by satellites over this same water behaves the same way: its centroid has genuinely moved across the twentieth and twenty-first centuries, and the honest research response is not to freeze it at one coordinate but to track the

relationship by which it keeps moving. A person's own sense of direction can work the same way, oriented by a heading rather than a fixed address, and no less real for it.

THE ORIENTATION

East of the Datum, and Still Moving

RELATION TO GIZA

Measured from Giza's own meridian at $31.150000^{\circ}\text{E}$, the declared control at $50.500000^{\circ}\text{W}$ sits roughly 278° east of the datum along the full circle of longitude — equivalently, about 82° to Giza's west along the shorter arc. That figure describes only the Area's static position in the frozen present epoch; because the Anomaly's own centroid has genuinely moved across the twentieth and twenty-first centuries, the same eastward offset would have read differently at any other epoch, a condition none of this Book's other Areas share.

This Book does not test bearing and distance from Giza the way Book I's Artificial Time Warp series does. Its method instead freezes a coordinate and reads its displacement directly off a fixed lattice anchored at Giza's own meridian — a $6'$ eastward longitude test and a $7.5'$ latitude diagnostic, run the same way for every Area regardless of how that Area's coordinate was chosen. Book I's bearing-and-distance approach and this lattice method are both legitimate tests; they simply ask a different question of the ground, and this Book uses the one suited to a moving field rather than a fixed one. As a supplementary cross-check alongside this lattice test, a genuine bearing-and-distance figure has also been computed independently from the Giza datum ($29.979235^{\circ}\text{N}$, $31.134203^{\circ}\text{E}$) using a WGS84 geodesic — the same measurement class Key 215 supplies for Book I's own twelve Areas: this control bears approximately 242.3° from the Great Pyramid at a great-circle distance of approximately 6685.1 miles (10758.6 km). This figure is reported alongside the lattice residual test, not as a replacement for it.

THE MEASURED REGISTER

What the Numbers Establish

SOURCE RECORD

The source record for this Area is historical annotation plus modern geomagnetic moving-zone control. That wording is deliberately restrained: it establishes the provenance class used to justify testing this coordinate at all, and it does not elevate a historical annotation into a Hurtak quotation the way a named, surveyed point might carry. The Anomaly is included in this pool because a broad weak-field region over the South Atlantic has long been noted in esoteric and geomagnetic literature alike, not because any single source names an exact coordinate for it.

COORDINATE SELECTION & PROVENANCE

The declared WGS84 research control, $27.500000^{\circ}\text{S}$, $50.500000^{\circ}\text{W}$, is the published present-epoch centroid for the South Atlantic Anomaly rather than a point selected by this study for its convenience. Where an Area's field is broad, as this one plainly is, the coordinate serves as a reproducible sample or midpoint rather than an asserted energetic centre. The coordinate was frozen before the Hurtak residual was calculated, the same anti-tuning discipline used throughout Book I, and a more convenient point inside the same broad region was not substituted after the residual became known.

THE LONGITUDE TEST

Run against the fixed 6' eastward lattice anchored at Giza's meridian, the declared control returns a signed longitude residual of -3.000 arcminutes, its nearest eastward line falling that distance from the frozen coordinate. This is the source-phased Hurtak test proper, and the figure is reported exactly as it falls, without rounding toward a tidier number.

THE LATITUDE DIAGNOSTIC

The separate 7.5' latitude diagnostic returns a residual of +1.246 arcminutes from the nearest diagnostic line. This result is held apart from the longitude finding, as a diagnostic phase rather than a recovered Hurtak datum, in keeping with the same convention applied to every other Area in this Book.

RESEARCH FINDING & EVIDENTIAL LIMIT

Taken at face value, the declared control lies 3.000' from its nearest 6' eastward longitude line and 1.246' from its nearest 7.5' diagnostic latitude line; neither result alone establishes Natural Time Warp identity, and this Book's own Part Twelve (Chapters 31 through 33) goes further than any of the other eleven Areas in testing whether that single-epoch reading means anything across time. Because the Anomaly's centroid is independently known to move, this rebuild carried out a full secondary reconstruction: first a linear back-projection from the published present-day drift rate, which produced a suspiciously constant +1.246' latitude residual at every twenty-five-year epoch back to 1900 — and which Chapter 32 identifies, honestly, as an arithmetic artifact of that particular linear spacing rather than a discovered stability in the field itself. The rebuild then replaced that extrapolation with six epoch positions computed directly from the IGRF-13 international geomagnetic reference field model, independent of any published drift rate. Recomputed against the same lattice, those six modelled epochs do not return a stable residual: the longitude residual moves from -1.71' in 1900 through +0.83' in 1950 to +1.30' in 2025, and the latitude residual moves from +2.59' through -0.60' to +2.86' across the same span — a scatter, not a pattern. The honest research finding is therefore negative: this Book's own independent six-epoch reconstruction finds no stable residual alignment across real historical positions of the Anomaly, and the constant figure produced by the earlier linear method is confirmed to have been an artifact of that method, not a property of the field. It is also worth recording, separately, that the IGRF model's own located 2025 field minimum (26.2°S, 60.0°W) sits roughly ten degrees of longitude from the published present-epoch centroid used as this Area's declared control; both figures are kept rather than reconciled, because the Anomaly is a broad, shallow field whose exact centroid shifts with the method used to locate it. What remains unresolved is whether the declared control represents any operative Natural field at all, whether a source-defined boundary or centre can be recovered, whether the field's motion holds any repeatable relationship to this lattice under a different test design, and whether an independently defined epoch shift could yet change the registration in a repeatable way — this Book reports the negative result reached so far in full, rather than smoothing it into an appearance of resolution it does not have.

THE WORK OF ALIGNMENT

What Continues After the Coordinate Is Set

THE NATURE OF THE FIELD

The South Atlantic Anomaly's declared spatial class is Moving Zone Sample, the only one of the six classes used in this Book that names motion as part of the Area's own definition rather than as a complication of a fixed one. Where a Point Control or Field Anchor asks to be understood as a specific place a person could stand, a Moving Zone Sample asks to be understood as a coordinate that describes a relationship at one moment in an ongoing

motion — a snapshot of something that does not hold still, tested with the same rigor as a fixed point precisely because it is not one.

CONTINUAL ACTIVATION, NOT RESIDENCE

The same standing principle applies here as at every other Area in this Book: nothing at the South Atlantic Anomaly activates without human participation. HVR (Human Vibrational Resonance) is not generated by the field alone, moving or otherwise, and the Anomaly's genuinely dynamic character does not exempt it from that rule or supply some substitute source of activation in its place. If this Area is later demonstrated to possess a moving electromagnetic centre or footprint with a repeatable relationship to the lattice, the correct extension is not to alter Giza or the lattice itself, but to recalculate the new epoch position through the same procedure used throughout this Book — a genuine movement history producing a time series of registrations, exactly as Part Twelve attempts here.

THE RHYTHM OF RETURN

A field defined by its own motion asks to be returned to differently than a fixed point does — not as a place revisited to confirm it has stayed the same, but as a relationship checked again precisely because it has not. Periodic re-approach here means re-running the same test against the field's current position, epoch by epoch, and accepting whatever the numbers show at each return rather than expecting the first reading to hold.

WHO TENDS THIS WORK

As with every Area in this Wheel, the ongoing recognition of the South Atlantic Anomaly's role is carried as part of the Brotherhood of Light and Narayana Joy Akasha Sanctuaries' wider stewardship — a matter of registration and continued attention, not a claim of stewardship over the ocean and coastline the field happens to pass over, or over the geomagnetic science that will keep tracking it long after this Book is closed.

THE ONTOLOGICAL GROUND

A Registration That Admits It Cannot Sit Still

It would have been easy to treat the South Atlantic Anomaly the way this Book treats its other eleven Areas — freeze one coordinate, run the test, report the residual, move on. The temptation to do exactly that and stop there is real, because the single-epoch reading here looks no different in form from any other Area's. This Book does the opposite: because the Anomaly's own motion is independently documented by mainstream science, it goes back and tests whether that single reading holds across real historical positions, and reports honestly that it does not.

That decision is what separates a registration from a residence in this Area's particular case. The South Atlantic Anomaly is not a place to be occupied or a fixed point to be settled once and returned to unchanged; it is a moving field, registered at one epoch, tested again across five more, and left standing as an open question precisely because closing it prematurely would have cost more than the honesty of leaving it open. A registration built this way asks to be checked again at the next epoch, not believed at this one.

*Come see if the moving ground still answers,
the way a heading confirms itself in flight —
not by holding still, but by being checked again.*

FIELD NOTES

Specifications & Coordinates

The South Atlantic Anomaly, over the South Atlantic Ocean and the adjoining coast of southern Brazil, Uruguay, and northern Argentina.

DECLARED CONTROL — SOUTH ATLANTIC ANOMALY

27.50°S, 50.50°W

METHODOLOGICAL ROLE

The declared control, the published present-epoch centroid at 27.500000°S, 50.500000°W, was frozen and tested against the fixed 6′/7.5′ lattice anchored at Giza's meridian, then re-tested at five earlier epochs derived independently from the IGRF-13 geomagnetic model, not against Giza directly.

STEWARDSHIP NOTE

This registration claims no stewardship over the ocean and coastal territory the Anomaly passes over, which remains under its own national and international custodianship; nor does it claim any authority over the geomagnetic science that independently tracks the field.

RELATION TO GIZA

The declared control sits roughly 278° east of the Giza meridian along the full circle of longitude, a figure this Book notes describes only the present, frozen epoch of a field known to keep moving. Independently, a WGS84 geodesic from the Giza datum places the control at approximately 242.3° bearing and 6685.1 miles (10758.6 km) from the Great Pyramid — the same measurement class Key 215 supplies for Book I's Areas.

AT A GLANCE

Area: South Atlantic Anomaly

Control point: South Atlantic geomagnetic minimum

Coordinates (WGS84): 27.50°S, 50.50°W

Spatial class: Moving Zone Sample

Longitude residual (6′ test): −3.000′

Latitude residual (7.5′ diagnostic): +1.246′



SOURCES CONSULTED

Physical and geographic sources: published geomagnetic survey and satellite record for the South Atlantic Anomaly, including IGRF-13 model coefficients; ontological framework: J.J. Hurtak, The Keys of Enoch, Key 105; Book II, Chapters 17 and 31–33; NJAS/EGA internal discourses.

NARAYANA JOY AKASHA SANCTUARIES · BOOK II: NATURAL TIME WARP AREAS

For Inner Reception, see the sanctuary contact page on the website.